BUTTERWORTH HEINEMANN

Annual Index 1995

AUTHORS

Ajello L, Ajello M. A Comparison of the Antimicrobial Spectra and Kill Rates of Three Contact Lens Care Solutions: QuickCARE Starting Solution, ReNu Multi-Purpose Solution, and Opti-Free Rinsing, Disinfecting, and Storage Solution, 22(7&8):156–164
Ajello M, see Ajello L
Allen ME, see Lever OW Jr
Ammon DM, see Rabke CE
Auge M, see Saona CS

Back A. Factors Influencing Success and Failure in Monovision, 22(7&8):165–172
Baril C, see Michaud L
Barna BJ, see Lever OW Jr
Barr JT, see Schwallie JD
Barr JT, Yackels T. Corneal Scarring in Keratoconus—Measurements and Influence on Visual Acuity, 22(7&8):173–175
Benjamin WJ. EOP and Dk/L, Part II: Ranges of Oxygen Permeability and Critical Thickness (Clinical R&D), 22(1&2):45–47
Boots TD, see Kelly SA
Bornemann RH, see Lever OW Jr
Bruce AS, see Little SA
Bucci FA Jr, Lopatynsky MO, Zloty P. The Clinical Performance of the Acuvue, NewVues, and SeeQuence Disposable Contact Lenses in Patients With Giant Papillary Conjunctivitis, 22(3&4):80–88

Carney LG, see Schwallie JD
Chacha P. Contact Lens Practice in India (International Column), 22(7&8):141–142
Chalmers RL, Cutter GR, Roseman M. The Self-Management Behaviors of Soft Contact Lens Wearers: The Effect of Lens Modality, 22(5&6):117–123
Chalmers RL. A Review of the Metabolism of Hydrogen Peroxide by External Ocular Structures, 22(7&8):143–147
Comstock TL, see Erickson P
Cox I. Digital Imaging in the Contact Lens Practice, 22 (3&4):62–66
Cox I. Effect of Base Curve, Power, and Center Thickness on Visual Acuity With Thin, Low-Water Hydrogel Lenses, 22(5&6):124–130
Cutter GR, see Chalmers RL

Daniels K, Gubman D, Tamkins S. Fitting Evaluation of Ocular Science—American Hydron BioMedics Disposable Hydrogel Contact Lens, 22(3&4):89–94
Davis LJ. Lens Hygiene and Care System Contamination of Asymptomatic Rigid Gas Permeable Lens Wearers, 22(9&10):217–221
Dayhaw-Barker P. Corneal Wound Healing: I. The Players, 22(5&6):105–109
Dayhaw-Barker PJ Corneal Wound Healing: II. The Process, 22 (5&6):110–116
Dey DR, see Lever OW Jr

Edrington TB, see Simmons PA
Erickson P, Comstock TL. An Improved Technique for Patched Eye Corneal Swelling Studies, 22(9&10):191–197

Fan L, Jia Q, Jie C, Jun J. The Compliance of Chinese Contact Lens Wearers (International Column), 22(9&10):188–190
Fatt I. To Average or Not to Average—That is the Question (Guest Commentary), 22(1&2):42–44

Ghormley NR. MENICON—"The New Guy on the Block" (Part 2): Bifocals, Post-RK, and Ortho-K RGP Contact Lenses (Overview), 22(9&10):184–187
Ghormley NR. The OPTI-SOAK SYSTEM—A New Rigid Gas Permeable Lens Care Regimen (Overview), 22(11&12):227–228
Ghormley NR. Doctor—Can I Wear Contact Lenses? (Overview), 22(5&6):101
Ghormley NR. MENICON—"The New Guy on the Block" (Part I) (Overview), 22(7&8):139–140
Ghormley NR. PRECISION UV®: A New Ultraviolet-Blocking Disposable Soft Lens (Overview), 22(1&2):3–4
Goldgerg JB. Fitting Characteristics of Aspheric Rigid Gas Permeable Multifocal Corneal Lenses (Photoatlas), 22(5&6):132–133
Grant R, see Wild D
Grant T, see Wild D
Gresset J, see Michaud L
Groemminger SF, see Lever OW Jr
Gubman D, see Daniels K

Hammack GG. Updated Video Equipment Recommendations for Slit-Lamp Videography for 1995, 22(3&4):54–61
Hill RM. Hypoxia Control (The Eye and the Contact Lens), 22(9&10):222–223
Hill RM. The Growing Case for Ultraviolet Blocker (The Eye and the Contact Lens), 22(11&12):256–257
Hill RM. RGP Design: What Are the Best Prescription Trade-Offs? (The Eye and the Contact Lens), 22(7&8):176–177
Hill RM. RGPs: Are Plus Lens Designs Physiologically Different? (The Eye and the Contact Lens), 22(5&6):131

Jia Q, Fan L. Overview of Contact Lens Development in China (International Column), 22(5&6):102–104
Jia Q, see Fan L
Jie C, see Fan L
Jun J, see Fan L

Kelly SA, Boots TD. The Effect of Soft Contact Lenses on Contrast Sensitivity, 22(11&12):231–237
Krcova Z. Image Analysis of Contact Lens Visible Deposits, Haze, and Mechanical Defects, 22(1&2):23–31

Lever OW Jr, Groemminger SF, Allen ME, Bornemann RH, Dey DR, Barna BJ. Evaluation of the Relationship Between Total Lens Protein Deposition and Patient-Rated Comfort of Hydrophilic (Soft) contact Lenses, 22(1&2):5–15
Little SA, Bruce AS. Environmental Influences on Hydrogel Lens Dehydration and the Postlens Tear Film, 22(7&8):148–155
Long B, see Wild D
Lopatynsky MO, see Bucci FA Jr
Lowther GE, Semes L. Effect of Absorbable Intracanalicular Collagen Implants on Hydrogel Contact Lens Patients With the Symptom of Dryness, 22(11&12):238–243
Lowther GE. Student Paper Award (Commentary), 22(11&12):226
Lowther GE. The Collaborative Longitudinal Evaluation of Keratoconus (CLEK) Study (Commentary), 22(9&10):182–183

ICLC, Vol. 22, November/December, 1995
© Elsevier Science Inc. 1995
655 Avenue of the Americas, New York, NY 10010

0892-8967/95/$10.00
SSDI 0892-8967(95)00088-7

BUTTERWORTH HEINEMANN

Annual Index 1995

AUTHORS

Ajello L, Ajello M. A Comparison of the Antimicrobial Spectra and Kill Rates of Three Contact Lens Care Solutions: QuickCARE Starting Solution, ReNu Multi-Purpose Solution, and Opti-Free Rinsing, Disinfecting, and Storage Solution, 22(7&8):156–164
Ajello M, see Ajello L
Allen ME, see Lever OW Jr
Ammon DM, see Rabke CE
Auge M, see Saona CS

Back A. Factors Influencing Success and Failure in Monovision, 22(7&8):165–172
Baril C, see Michaud L
Barna BJ, see Lever OW Jr
Barr JT, see Schwallie JD
Barr JT, Yackels T. Corneal Scarring in Keratoconus—Measurements and Influence on Visual Acuity, 22(7&8):173–175
Benjamin WJ. EOP and Dk/L, Part II: Ranges of Oxygen Permeability and Critical Thickness (Clinical R&D), 22(1&2):45–47
Boots TD, see Kelly SA
Bornemann RH, see Lever OW Jr
Bruce AS, see Little SA
Bucci FA Jr, Lopatynsky MO, Zloty P. The Clinical Performance of the Acuvue, NewVues, and SeeQuence Disposable Contact Lenses in Patients With Giant Papillary Conjunctivitis, 22(3&4):80–88

Carney LG, see Schwallie JD
Chacha P. Contact Lens Practice in India (International Column), 22(7&8):141–142
Chalmers RL, Cutter GR, Roseman M. The Self-Management Behaviors of Soft Contact Lens Wearers: The Effect of Lens Modality, 22(5&6):117–123
Chalmers RL. A Review of the Metabolism of Hydrogen Peroxide by External Ocular Structures, 22(7&8):143–147
Comstock TL, see Erickson P
Cox I. Digital Imaging in the Contact Lens Practice, 22 (3&4):62–66
Cox I. Effect of Base Curve, Power, and Center Thickness on Visual Acuity With Thin, Low-Water Hydrogel Lenses, 22(5&6):124–130
Cutter GR, see Chalmers RL

Daniels K, Gubman D, Tamkins S. Fitting Evaluation of Ocular Science—American Hydron BioMedics Disposable Hydrogel Contact Lens, 22(3&4):89–94
Davis LJ. Lens Hygiene and Care System Contamination of Asymptomatic Rigid Gas Permeable Lens Wearers, 22(9&10):217–221
Dayhaw-Barker P. Corneal Wound Healing: I. The Players, 22(5&6):105–109
Dayhaw-Barker PJ Corneal Wound Healing: II. The Process, 22 (5&6):110–116
Dey DR, see Lever OW Jr

Edrington TB, see Simmons PA
Erickson P, Comstock TL. An Improved Technique for Patched Eye Corneal Swelling Studies, 22(9&10):191–197

Fan L, Jia Q, Jie C, Jun J. The Compliance of Chinese Contact Lens Wearers (International Column), 22(9&10):188–190
Fatt I. To Average or Not to Average—That is the Question (Guest Commentary), 22(1&2):42–44

Ghormley NR. MENICON—"The New Guy on the Block" (Part 2): Bifocals, Post-RK, and Ortho-K RGP Contact Lenses (Overview), 22(9&10):184–187
Ghormley NR. The OPTI-SOAK SYSTEM—A New Rigid Gas Permeable Lens Care Regimen (Overview), 22(11&12):227–228
Ghormley NR. Doctor—Can I Wear Contact Lenses? (Overview), 22(5&6):101
Ghormley NR. MENICON—"The New Guy on the Block" (Part I) (Overview), 22(7&8):139–140
Ghormley NR. PRECISION UV®: A New Ultraviolet-Blocking Disposable Soft Lens (Overview), 22(1&2):3–4
Goldgerg JB. Fitting Characteristics of Aspheric Rigid Gas Permeable Multifocal Corneal Lenses (Photoatlas), 22(5&6):132–133
Grant R, see Wild D
Grant T, see Wild D
Gresset J, see Michaud L
Groemminger SF, see Lever OW Jr
Gubman D, see Daniels K

Hammack GG. Updated Video Equipment Recommendations for Slit-Lamp Videography for 1995, 22(3&4):54–61
Hill RM. Hypoxia Control (The Eye and the Contact Lens), 22(9&10):222–223
Hill RM. The Growing Case for Ultraviolet Blocker (The Eye and the Contact Lens), 22(11&12):256–257
Hill RM. RGP Design: What Are the Best Prescription Trade-Offs? (The Eye and the Contact Lens), 22(7&8):176–177
Hill RM. RGPs: Are Plus Lens Designs Physiologically Different? (The Eye and the Contact Lens), 22(5&6):131

Jia Q, Fan L. Overview of Contact Lens Development in China (International Column), 22(5&6):102–104
Jia Q, see Fan L
Jie C, see Fan L
Jun J, see Fan L

Kelly SA, Boots TD. The Effect of Soft Contact Lenses on Contrast Sensitivity, 22(11&12):231–237
Krcova Z. Image Analysis of Contact Lens Visible Deposits, Haze, and Mechanical Defects, 22(1&2):23–31

Lever OW Jr, Groemminger SF, Allen ME, Bornemann RH, Dey DR, Barna BJ. Evaluation of the Relationship Between Total Lens Protein Deposition and Patient-Rated Comfort of Hydrophilic (Soft) contact Lenses, 22(1&2):5–15
Little SA, Bruce AS. Environmental Influences on Hydrogel Lens Dehydration and the Postlens Tear Film, 22(7&8):148–155
Long B, see Wild D
Lopatynsky MO, see Bucci FA Jr
Lowther GE, Semes L. Effect of Absorbable Intracanalicular Collagen Implants on Hydrogel Contact Lens Patients With the Symptom of Dryness, 22(11&12):238–243
Lowther GE. Student Paper Award (Commentary), 22(11&12):226
Lowther GE. The Collaborative Longitudinal Evaluation of Keratoconus (CLEK) Study (Commentary), 22(9&10):182–183

ICLC, Vol. 22, November/December, 1995
© Elsevier Science Inc. 1995
655 Avenue of the Americas, New York, NY 10010

0892-8967/95/$10.00
SSDI 0892-8967(95)00088-7

Lowther GE. Corneal Wound Healing (Commentary), 22(5&6):100
Lowther GE. ICLC in the Future (Commentary), 22(1&2):2
Lowther GE. Predicting Success (Commentary), 22(7&8):138
Lowther GE. What's Happening in the Contact Lens Field Internationally? (Commentary), 22(3&4):50

Manczak H. Contact Lenses and Optometry in Poland (International Column), 22(11&12):229–230
Mayorga MT. Contact Lens Affairs in Colombia (International Column), 22(3&4):51–53
Merindano MD, see Saona CS
Michaud L, Tchang J-P, Baril C, Gresset J. New Perspectives in Monovision: A Study Comparing Aspheric With Disposable Lenses, 22(9&10):203–208
Miller WL. Rigid Gas Permeable Surface Defects Associated With an Isolated Case of Vascularized Limbal Keratitis, 22(9&10):209–212

Rabke CE, Valint PL Jr, Ammon DM. Ophthalmic Applications of Atomic Force Microscopy, 22(1&2):32–41
Roseman M, see Chalmers RL

Sankaridurg PR, Challa SR, Rao GN. Functional Breakdown of Corneal Endothelium in Keratoconus: A Case Report, 22(9&10):213–216
Saona CS, Auge M, Merindano MD. Complications of PRK Surgery, 22(3&4):95–97
Schwallie JD, Barr JT, Carney LG. The Effects of Spherical and Aspheric Rigid Gas Permeable Contact Lenses: Corneal Curvature and Topography Changes, 22(3&4):67–79
Semes L, see Lowther GE
Simmons PA, Sun CM, Yamamoto BA, Edrington TB. Comparison of Surfactant Cleaning Times on Protein Deposit Removal from Hydrogel Lenses, 22(1&2):16–22
Slusser TG. A Review of Hydrogel Contact Lens-Related Dry Eye and Lactimal Drainage Occlusion, 22(11&12):250–255
Sun CM, see Simmons PA
Szczotka LB. Interactive Rigid Contact Lens Fitting With the TMS-1 Computerized Videokeratoscope Contact Lens Program, 22(11&12):244–249

Tamkins S, see Daniels K
Tchang J-P, see Michaud L

Valint PL Jr, see Rabke CE

Wild D, Grant R, Grant T, Long B. High Water Content Versus Low Water Content—Does Monthly Replacement Affect the Difference? A Comparison Between the Focus® and Medalist® Lenses Under Identical Conditions of Use, 22(9&10):198–202

Yackels T, see Barr JT
Yamamoto BA, see Simmons PA

Zloty P, see Bucci FA Jr

SUBJECTS

Aftercare

Bucci FA Jr, Lopatynsky MO, Zloty P. The Clinical Performance of the Acuvue, Newvues, and SeeQuence Disposable Contact Lenses in Patients With Giant Papillary Conjunctivitis, 22(3&4):80–88
Chalmers RL, Cutter GR, Roseman M. The Self-Management Behaviors of Soft Contact Lens Wearers: The Effect of Lens Modality, 22(5&6):117–123
Krcova Z. Image Analysis of Contact Lens Visible Deposits, Haze, and Mechanical Defects, 22(1&2):23–31
Lever OW Jr, Groemminger SF, Allen ME, Bornemann RH, Dey DR, Barna BJ. Evaluation of the Relationship Between Total Lens Protein Deposition and Patient-Rated Comfort of Hydrophilic (Soft) Contact Lenses, 22(1&2):5–15
Miller WL. Rigid Gas Permeable Surface Defects Associated With an Isolated Case of Vascularized Limbal Keratitis, 22(9&10):209–212
Sankaridurg PR, Challa SR, Rao GN. Functional Breakdown of Corneal Endothelium in Keratoconus: A Case Report, 22(9&10):213–216
Wild D, Grant R, Grant T, Long B. Hogh Water Content Versus Low Water Content—Does Monthly Replacement Affect the Difference? A Comparison between the Focus and Medalist Lenses Under Identical Conditions of Use, 22(9&10):198–202

Bifocals (see Monovision and Multifocal)

Care Systems

Ajello L, Ajello M. A Comparison of the Antimicrobial Spectra and Kill Rates of Three Contact Lens Care Solutions: QuickCARE Starting Solution, ReNu Multi-Purpose Solution, and Opti-Free Rinsing, Disinfecting, and Storage Solution, 22(7&8):156–164
Chalmers RL. A Review of the Metabolism of Hydrogen Peroxide by External Ocular Structures, 22(7&8):143–147
Davis LJ. Lens Hygiene and Care Systems Contamination of Asymptomatic Rigid Gas Permeable Lens Wearers, 22(9&10):217–221
Ghormley NR. The OPTI-SOAK SYSTEM—A New Rigid Gas Permeable Lens Care Regimen (Overview), 22(11&12):227–228
Simmons PA, Sun CM, Yamamoto BA, Edrington TB. Comparison of Surfactant Cleaning Times on Protein Deposit Removal from Hydrogel Lenses, 22(1&2):16–22

Compliance

Chalmers RL, Cutter GR, Roseman M. The Self-Management Behaviors of Soft Contact Lens Wearers: The Effect of Lens Modality, 22(5&6):117–123

Computer Technology

Cox I. Digital Imaging in the Contact Lens Practice, 22(3&4):62–66
Hammack GG. Updated Video Equipment Recommendations for Slit Lamp Videography for 1995, 22(3&4):54–61

Corneal Physiology

Chalmers RL. A Review of the Metabolism of Hydrogen Peroxide by External Ocular Structures, 22(7&8):143–147
Dayhaw-Barker P. Corneal Wound Healing: I. The Players, 22(5&6):105–109
Dayhaw-Barker P. Corneal Wound Healing: II. The Process, 22(5&6):110–116
Erickson P, Comstock TL. An Improved Technique for Patched Eye Corneal Swelling Studies, 22(9&10):191–197
Hill RM. RGPs: Are Plus Designs Physiologically Different? (The Eye and the Contact Lens), 22(5&6):131
Lowther GE. Corneal Wound Healing (Commentary), 22(5&6):100
Sankaridurg PR, Challa SR, Rao GN. Functional Breakdown of Corneal Endothelium in Keratoconus: A Case Report, 22(9&10):213–216

Deposits

Krcova Z. Image Analysis of Contact Lens Visible Deposits, Haze, and Mechanical Defects, 22(1&2):23–31
Lever OW J, Groemminger SF, Allen ME, Bornemann RH, Dey DR, Barna BJ. Evaluation of the Relationship Between Total Lens Protein Deposition and Patient-Rated Comfort

of Hydrophilic (Soft) Contact Lenses, 22(1&2):5–15
Simmons PA, Sun CM, Yamamoto BA, Edrington TB. Comparison of Surfactant Cleaning Times on Protein Deposit Removal from Hydrogel Lenses, 22(1&2):16–22

Dry Eye

Little SA, Bruce AS. Environmental Influences on Hydrogel Lens Dehydration and the Postlens Tear Film, 22(7&8):148–155
Lowther GE, Semes L. Effect of Absorbable Intracanalicular Collagen Implants in Hydrogel Contact Lens Patients With the Symptom of Dryness, 22(11&12):238–243
Slusser TG. A Review of Hydrogel Contact Lens-Related Dry Eye and Lacrimal Drainage Occlusion, 22(11&12):250–255

GPC

Bucci FA Jr, Lopatynsky MO, Zloty P. The Clinical Performance of the Acuvue, NewVues, and SeeQuence Disposable Contact Lenses in Patients With Giant Papillary Conjunctivitis, 22(3&4):80–88

Hydrogel Contact Lenses

Bucci FA Jr, Lopatynsky MO, Zloty P. The Clinical Performance of the Acuvue, NewVues, and SeeQuence Disposable Contact Lenses in Patients With Giant Papillary Conjunctivitis, 22(3&4):80–88
Cox I. Effect of Base Curve, Power, and Center Thickness on Visual Acuity With Thin, Low Water Content Hydrogel Lenses, 22(5&6):124–130
Daniels K, Gubman D, Tamkins S. Fitting Evaluation of Ocular Science —American Hydron BioMedics Disposable Hydrogel Contact Lens, 22(3&4):89–94
Ghormley NR. PRECISION UV®: A New Ultraviolet-Blocking Disposable Soft Lens (Overview), 22(1&2):3–4
Kelly SA, Boots TD. The Effect of Soft Contact Lenses on Contrast Sensitivity, 22(11&12):231–237
Little SA, Bruce AS. Environmental Influences on Hydrogel Lens Dehydration and the Postlens Tear Film, 22(7&8):148–155
Rabke CE, Valint PL Jr, Ammon DM. Opthalmic Applications of Atomic Force Microscopy, 22(1&2):32–41
Simmons PA, Sun CM, Yamamoto BA, Edrington TB. Comparison of Surfactant Cleaning Times on Protein Deposit Removal from Hydrogel Lenses, 22(1&2):16–22

Intracanalicular Implants

Lowther GE, Semes L. Effect of Absorbable Intracanalicular Collagen Implants in Hydrogel Contact Lens Patients With the Symptom of Dryness, 22(11&12):238–243
Slusser TG. A Review of Hydrogel Contact Lens-Related Dry Eye and Lacrimal Drainage Occlusion, 22(11&12):250–255

International Contact Lens Practice

Chacha P. Contact Lens Practice in India (International Column), 22(7&8):141–142
Jia Q, Fan L. Overview of Contact Lens Development in China (International Column), 22(5&6):102–104
Lowther GE. What's Happening in the Contact Lens Field Internationally? (Commentary), 22(3&4):50
Mayorga MT. Contact Lens Affairs in Colombia (International Column), 22(3&4):51–53
Fan L, Qu J, Jie C, Jun J. The Compliance of Chinese Contact Lens Wearers (International Column), 22(9&10):188–190
Manczak H. Contact Lenses and Optometry in Poland (International Column), 22(11&12):229–230

Keratoconus

Barr JT, Yackels T. Corneal Scarring in Keratoconus—Measurements and Influence on Visual Acuity, 22(7&8):173–175
Lowther GE. The Collaborative Longitudinal Evaluation of Keratoconus (CLEK) Study (Commentary), 22(9&10):182–183
Sankaridurg PR, Challa SR, Rao GN. Functional Breakdown of Corneal Endothelium in Keratoconus: A Case Report, 22(9&10):213–216

Monovision

Back A. Factors Influencing Success and Failure in Monovision, 22(7&8):165–172
Ghormley NR. Doctor—Can I Wear Contact Lenses? (Overview), 22(5&6):101
Lowther GE. Predicting Success (Commentary), 22(7&8):138
Michaud L, Tchang J-P, Baril C, Gresset J. New Perspectives in Monovision: A Study Comparing Aspheric With Disposable Lenses, 22(9&10):203–208

Multifocal Contact Lenses

Goldberg JB. Fitting Characteristics of Aspheric Rigid Gas Permeable Multifocal Corneal Lenses (Photoatlas), 22(5&6):132–133

Oxygen

Benjamin WJ. EOP and Dk/L, Part II: Ranges of Oxygen Permeability and Critical Thickness (Clinical R&D), 22(1&2):45–47
Fatt I. To Average or Not to Average—That is the Question (Guest Commentary), 22(1&2):42–44
Hill RM. Hypoxia Control (The Eye and the Contact Lens), 22(9&10):222
Hill RM. RGPs: Are Plus Designs Physiologically Different? (The Eye and the Contact Lens), 22(5&6):131
Hill RM. RGP Design: What Are the Best Prescription Trade-Offs? (The Eye and the Contact Lens), 22(7&8):176–177

Patient Advising

Ghormley NR. Doctor—Can I Wear Contact Lenses? (Overview), 22(5&6):101

Refractive Surgery

Saona CS, Auge M, Merindano MD. Case Report: Complications of PRK Surgery, 22(3&4):95–97

Rigid Gas Permeable Lenses

Davis LJ. Lens Hygiene and Care System Contamination of Asymptomatic Rigid Gas Permeable Lens Wearers, 22(9&10):217–221
Ghormley NR. MENICON—"The New Guy on the Block" (Part I) (Overview), 22(7&8):139–140
Hill RM. Hypoxia Control (The Eye and the Contact Lens), 22(9&10):222
Hill RM. RGPs: Are Plus Designs Physiologically Different? (The Eye and the Contact Lens), 22(5&6):131
Hill RM. RGP Design: What Are the Best Prescription Trade-Offs? (The Eye and the Contact Lens), 22(7&8):176–177
Miller WL. Rigid Gas Permeable Surface Defects Associated With an Isolated Case of Vascularized Limbal Keratitis, 22(9&10):209–212
Schwallie JD, Barr JT, Carney LG. The Effects of Spherical and Aspheric Rigid Gas Permeable Contact Lenses: Corneal Curvature and Topography Changes, 22(3&4):67–79
Szczotka LB. Interactive Rigid Contact Lens Fitting Utilizing the TMS-1 Computerized Videokeratoscope Contact Lens Program, 22(11&12):244–249

Surface Inspection

Rabke CE, Valint PL Jr, Ammon DM. Opthalmic Applications of Atomic Force Microscopy, 22(1&2):32–41

Topography

Schwallie JD, Barr JT, Carney LG. The Effects of Spherical and Aspheric Rigid Gas Permeable Contact Lenses: Corneal Curvature and Topography Changes, 22(3&4):67–79

Szczotka LB. Interactive Rigid Contact Lens Fitting Utilizing the TMS-1 Computerized Videokeratoscope Contact Lens Program, 22(11&12):244–249

Ultraviolet Radiation

Hill RM. The Growing Case for UV Blocker (The Eye and the Contact Lens), 22(11&12):256–257

Ghormley NR. PRECISION UV®: A New Ultraviolet-Blocking Disposable Soft Lens (Overview), 22(1&2):3–4

Visual Performance

Cox I. Effect of Base Curve, Power, and Center Thickness on Visual Acuity With Thin, Low Water Content Hydrogel Lenses, 22(5&6):124–130

Kelly SA, Boots TD. The Effect of Soft Contact Lenses on Contrast Sensitivity, 22(11&12):231–237